




POLEAS DENTADAS PASO METRICO SERIE BAT PARA CORREAS "AT"
METRIC PULLEYS "AT"



SERIE BAT 5 (PASO 5mm) PARA CORREAS DE LONGITUD 10 mm

MATERIAL	CODIGO	TIPO	DIENTES	De	Df	Dm	F	L	d	Nº GUIA	Kg.
ALUMINIO UNI 9006 - T6	21 BAT 5 12	2F	12	17.85	23.0	10	15	27	-	201	0.01
	21 BAT 5 14	2F	14	21.05	25.0	13	15	27	-	203	0.02
	21 BAT 5 15	2F	15	22.65	28.0	16	15	27	-	204	0.02
	21 BAT 5 16	2F	16	24.20	32.0	18	15	27	-	205	0.03
	21 BAT 5 18	2F	18	27.40	32.0	20	15	27	-	205	0.03
	21 BAT 5 19	2F	19	29.00	36.0	22	15	27	-	206	0.04
	21 BAT 5 20	2F	20	30.60	36.0	23	15	27	-	206	0.04
	21 BAT 5 22	2F	22	33.85	38.0	24	15	27	-	207	0.05
	21 BAT 5 24	2F	24	37.00	42.0	26	15	27	-	208	0.06
	21 BAT 5 25	2F	25	38.55	44.0	26	15	27	-	209	0.06
	21 BAT 5 26	2F	26	40.20	44.0	26	15	27	-	209	0.06
	21 BAT 5 27	2F	27	41.80	48.0	30	15	27	8	210	0.07
	21 BAT 5 28	2F	28	43.35	48.0	32	15	27	8	210	0.07
	21 BAT 5 30	2F	30	46.55	51.0	34	15	27	8	211	0.07
	21 BAT 5 32	2F	32	49.70	54.0	38	15	27	8	212	0.09
	21 BAT 5 36	2F	36	56.05	63.0	38	15	27	8	215	0.11
	21 BAT 5 40	2F	40	62.45	66.0	40	15	27	8	216	0.14
	21 BAT 5 42	2F	42	65.60	71.0	40	15	27	8	217	0.18
	21 BAT 5 44	2	44	68.80	-	45	15	27	8	-	0.18
	21 BAT 5 48	2	48	75.15	-	50	15	27	8	-	0.20
21 BAT 5 60	2	60	94.25	-	65	15	27	8	-	0.31	

POLEAS DENTADAS PASO METRICO SERIE BAT PARA CORREAS "AT"
METRIC PULLEYS "AT"





SERIE BAT 5 (PASO 5mm) PARA CORREAS DE LONGITUD 16 mm

MATERIAL	CODIGO	TIPO	DIENTES	De	Df	Dm	F	L	d	Nº GUIA	Kg.
ALUMINIO UNI 9006 - T6	27 BAT 5 12	2F	12	17.85	23.0	10	21	27	-	201	0.02
	27 BAT 5 14	2F	14	21.05	25.0	13	21	27	-	203	0.03
	27 BAT 5 15	2F	15	22.65	28.0	16	21	27	-	204	0.03
	27 BAT 5 16	2F	16	24.20	32.0	18	21	27	-	205	0.04
	27 BAT 5 18	2F	18	27.40	32.0	20	21	27	-	205	0.04
	27 BAT 5 19	2F	19	29.00	36.0	22	21	27	-	206	0.05
	27 BAT 5 20	2F	20	30.60	36.0	23	21	27	-	206	0.06
	27 BAT 5 22	2F	22	33.85	38.0	24	21	27	-	207	0.06
	27 BAT 5 24	2F	24	37.00	42.0	26	21	27	-	208	0.08
	27 BAT 5 25	2F	25	38.55	44.0	26	21	27	-	209	0.08
	27 BAT 5 26	2F	26	40.20	44.0	26	21	27	-	209	0.09
	27 BAT 5 27	2F	27	41.80	48.0	30	21	27	8	210	0.09
	27 BAT 5 28	2F	28	43.35	48.0	32	21	27	8	210	0.09
	27 BAT 5 30	2F	30	46.55	51.0	34	21	27	8	211	0.10
	27 BAT 5 32	2F	32	49.70	54.0	38	21	27	8	212	0.12
	27 BAT 5 36	2F	36	56.05	63.0	38	21	27	8	215	0.16
	27 BAT 5 40	2F	40	62.45	66.0	40	21	27	8	216	0.19
	27 BAT 5 42	2F	42	65.60	71.0	40	21	27	8	217	0.20
	27 BAT 5 44	2	44	68.80	-	45	21	27	8	-	0.23
	27 BAT 5 48	2	48	75.15	-	50	21	27	8	-	0.28
	27 BAT 5 60	2	60	94.25	-	65	21	27	8	-	0.43

SERIE BAT 5 (PASO 5mm) PARA CORREAS DE LONGITUD 25 mm

MATERIAL	CODIGO	TIPO	DIENTES	De	Df	Dm	F	L	d	Nº GUIA	Kg.
ALUMINIO UNI 9006 - T6	36 BAT 5 12	2F	12	17.85	23.0	10	30	36	-	201	0.03
	36 BAT 5 14	2F	14	21.05	25.0	13	30	36	-	203	0.04
	36 BAT 5 15	2F	15	22.65	28.0	16	30	36	-	204	0.04
	36 BAT 5 16	2F	16	24.20	32.0	18	30	36	-	205	0.05
	36 BAT 5 18	2F	18	27.40	32.0	20	30	36	-	205	0.06
	36 BAT 5 19	2F	19	29.00	36.0	22	30	36	-	206	0.07
	36 BAT 5 20	2F	20	30.60	36.0	23	30	36	-	206	0.08
	36 BAT 5 22	2F	22	33.85	38.0	24	30	36	-	207	0.08
	36 BAT 5 24	2F	24	37.00	42.0	26	30	36	8	208	0.11
	36 BAT 5 25	2F	25	38.55	44.0	26	30	36	8	209	0.12
	36 BAT 5 26	2F	26	40.20	44.0	26	30	36	8	209	0.12
	36 BAT 5 27	2F	27	41.80	48.0	30	30	36	8	210	0.13
	36 BAT 5 28	2F	28	43.35	48.0	32	30	36	8	210	0.14
	36 BAT 5 30	2F	30	46.55	51.0	34	30	36	8	211	0.15
	36 BAT 5 32	2F	32	49.70	54.0	38	30	36	8	212	0.18
	36 BAT 5 36	2F	36	56.05	63.0	38	30	36	8	215	0.23
	36 BAT 5 40	2F	40	62.45	66.0	40	30	36	8	216	0.28
	36 BAT 5 42	2F	42	65.60	71.0	40	30	36	8	217	0.29
	36 BAT 5 44	2	44	68.80	-	45	30	36	8	-	0.31
	36 BAT 5 48	2	48	75.15	-	50	30	36	8	-	0.40
	36 BAT 5 60	2	60	94.25	-	65	30	36	8	-	0.61

POLEAS DENTADAS PASO METRICO SERIE BAT PARA CORREAS "AT"
METRIC PULLEYS "AT"



SERIE BAT 10 (PASO 10mm) PARA CORREAS DE LONGITUD 16 mm

MATERIAL	CODIGO	TIPO	DIENTES	De	Df	Dm	F	L	d	Nº GUIA	Kg.
ALUMINIO UNI 9006 - T6	31 BAT 10 15	2F	15	45.90	51	32	21	31	8	211	0.12
	31 BAT 10 16	2F	16	49.10	54	35	21	31	8	212	0.13
	31 BAT 10 18	2F	18	55.45	60	40	21	31	8	214	0.17
	31 BAT 10 19	2F	19	58.65	66	44	21	31	8	216	0.18
	31 BAT 10 20	2F	20	61.80	66	46	21	31	8	216	0.21
	31 BAT 10 22	2F	22	68.20	75	52	21	31	8	218	0.25
	31 BAT 10 24	2F	24	74.55	83	58	21	31	8	219	0.29
	31 BAT 10 25	2F	25	77.75	83	60	21	31	8	219	0.31
	31 BAT 10 26	2F	26	80.90	87	60	21	31	8	220	0.36
	31 BAT 10 27	2F	27	84.05	91	60	21	31	8	221	0.37
	31 BAT 10 28	2F	28	87.25	93	60	21	31	8	222	0.40
	31 BAT 10 30	2F	30	93.65	97	60	21	31	8	223	0.44
	31 BAT 10 32	2F	32	100.00	106	65	21	31	10	224	0.49
	31 BAT 10 36	2F	36	112.75	119	70	21	31	10	225	0.62
	31 BAT 10 40	2F	40	125.45	131	80	21	31	10	226	0.77
	31 BAT 10 44	2	44	138.20	-	88	21	31	10	-	1.00
	31 BAT 10 48	2	48	150.95	-	95	21	31	16	-	1.10
	31 BAT 10 60	2	60	189.15	-	110	21	31	16	-	1.70

SERIE BAT 10 (PASO 10mm) PARA CORREAS DE LONGITUD 25 mm

MATERIAL	CODIGO	TIPO	DIENTES	De	Df	Dm	F	L	d	Nº GUIA	Kg.
ALUMINIO UNI 9006 - T6	40 BAT 10 15	2F	15	45.90	51	32	30	40	8	211	0.15
	40 BAT 10 16	2F	16	49.10	54	35	30	40	8	212	0.18
	40 BAT 10 18	2F	18	55.45	60	40	30	40	8	214	0.22
	40 BAT 10 19	2F	19	58.65	66	44	30	40	8	216	0.25
	40 BAT 10 20	2F	20	61.80	66	46	30	40	8	216	0.28
	40 BAT 10 22	2F	22	68.20	75	52	30	40	8	218	0.34
	40 BAT 10 24	2F	24	74.55	83	58	30	40	8	219	0.39
	40 BAT 10 25	2F	25	77.75	83	60	30	40	8	219	0.42
	40 BAT 10 26	2F	26	80.90	87	60	30	40	8	220	0.48
	40 BAT 10 27	2F	27	84.05	91	60	30	40	8	221	0.54
	40 BAT 10 28	2F	28	87.25	93	60	30	40	8	222	0.55
	40 BAT 10 30	2F	30	93.65	97	60	30	40	8	223	0.64
	40 BAT 10 32	2F	32	100.00	106	65	30	40	10	224	0.69
	40 BAT 10 36	2F	36	112.75	119	70	30	40	10	225	0.87
	40 BAT 10 40	2F	40	125.45	131	80	30	40	10	226	1.07
	40 BAT 10 44	2	44	138.20	-	88	30	40	10	-	1.35
	40 BAT 10 48	2	48	150.95	-	95	30	40	16	-	1.52
	40 BAT 10 60	2	60	189.15	-	110	30	40	16	-	2.34

POLEAS DENTADAS PASO METRICO SERIE BAT PARA CORREAS "AT"
METRIC PULLEYS "AT"






SERIE BAT 10 (PASO 10mm) PARA CORREAS DE LONGITUD 32 mm

MATERIAL	CODIGO	TIPO	DIENTES	De	Df	Dm	F	L	d	Nº GUIA	Kg.
ALUMINIO UNI 9006 - T6	47 BAT 10 18	2F	18	55.45	60	40	37	47	10	214	0.25
	47 BAT 10 19	2F	19	58.65	66	44	37	47	10	216	0.29
	47 BAT 10 20	2F	20	61.80	66	46	37	47	12	216	0.32
	47 BAT 10 22	2F	22	68.20	75	52	37	47	12	218	0.39
	47 BAT 10 24	2F	24	74.55	83	58	37	47	12	219	0.47
	47 BAT 10 25	2F	25	77.75	83	60	37	47	12	219	0.53
	47 BAT 10 26	2F	26	80.90	87	60	37	47	12	220	0.56
	47 BAT 10 27	2F	27	84.05	91	60	37	47	12	221	0.60
	47 BAT 10 28	2F	28	87.25	93	60	37	47	12	222	0.64
	47 BAT 10 30	2F	30	93.65	97	60	37	47	12	223	0.74
	47 BAT 10 32	2F	32	100.00	106	65	37	47	16	224	0.84
	47 BAT 10 36	2F	36	112.75	119	70	37	47	16	225	1.06
	47 BAT 10 40	2F	40	125.45	131	80	37	47	16	226	1.32
	47 BAT 10 44	2	44	138.20	-	88	37	47	16	-	1.61
	47 BAT 10 48	2	48	150.95	-	95	37	47	16	-	1.93
	47 BAT 10 60	2	60	189.15	-	110	37	47	16	-	3.00

SERIE BAT 10 (PASO 10mm) PARA CORREAS DE LONGITUD 50 mm

MATERIAL	CODIGO	TIPO	DIENTES	De	Df	Dm	F	L	d	Nº GUIA	Kg.
ALUMINIO UNI 9006 - T6	66 BAT 10 18	2F	18	55.45	60	40	56	66	10	214	0.42
	66 BAT 10 19	2F	19	58.65	66	44	56	66	10	216	0.47
	66 BAT 10 20	2F	20	61.80	66	46	56	66	12	216	0.52
	66 BAT 10 22	2F	22	68.20	75	52	56	66	12	218	0.57
	66 BAT 10 24	2F	24	74.55	83	58	56	66	12	219	0.74
	66 BAT 10 25	2F	25	77.75	83	60	56	66	12	219	0.77
	66 BAT 10 26	2F	26	80.90	87	60	56	66	12	220	0.82
	66 BAT 10 27	2F	27	84.05	91	60	56	66	12	221	0.95
	66 BAT 10 28	2F	28	87.25	93	60	56	66	12	222	0.96
	66 BAT 10 30	2F	30	93.65	97	60	56	66	12	223	1.17
	66 BAT 10 32	2F	32	100.00	106	65	56	66	12	224	1.30
	66 BAT 10 36	2F	36	112.75	119	70	56	66	16	225	1.64
	66 BAT 10 40	2F	40	125.45	131	80	56	66	16	226	2.00
	66 BAT 10 44	2	44	138.20	-	88	56	66	16	-	2.36
	66 BAT 10 48	2	48	150.95	-	95	56	66	16	-	2.83
	66 BAT 10 60	2	60	189.15	-	110	56	66	16	-	4.37

POLEAS DENTADAS PASO METRICO "T"
METRIC PULLEYS "T"




T 2,5 (PASO 2,5 mm) PARA CORREAS DE LONGITUD 6 mm

MATERIAL	CODIGO	TIPO	DIENTES	De	Df	Dm	F	L	d	Nº GUIA	Kg.
ALUMINIO UNI 9006 - T6	16 T 2,5 12	1F	12	9.00	12.0	12	9	16	-	100	-
	16 T 2,5 14	1F	14	10.60	15.0	14	9	16	-	101	-
	16 T 2,5 15	1F	15	11.40	15.0	15	9	16	-	101	-
	16 T 2,5 16	1F	16	12.20	16.0	16	9	16	-	102	-
	16 T 2,5 18	2F	18	13.80	17.5	10	10	16	3	104	-
	16 T 2,5 19	2F	19	14.60	17.5	10	10	16	3	104	-
	16 T 2,5 20	2F	20	15.40	19.5	11	10	16	3	105	-
	16 T 2,5 22	2F	22	17.00	23.0	11	10	16	3	106	-
	16 T 2,5 24	2F	24	18.55	23.0	12	10	16	3	107	0.01
	16 T 2,5 25	2F	25	19.35	23.0	13	10	16	3	107	0.01
	16 T 2,5 26	2F	26	20.15	25.0	14	10	16	4	108	0.01
	16 T 2,5 28	2F	28	21.75	25.0	14	10	16	4	108	0.02
	16 T 2,5 30	2F	30	23.35	28.0	16	10	16	6	109	0.02
	16 T 2,5 32	2F	32	24.95	32.0	16	10	16	6	110	0.02
	16 T 2,5 36	2F	36	28.10	36.0	20	10	16	6	111	0.03
	16 T 2,5 40	2F	40	31.30	38.0	22	10	16	6	112	0.03
	16 T 2,5 44	2	44	34.50	-	24	10	16	6	-	0.04
	16 T 2,5 48	2	48	37.70	-	26	10	16	6	-	0.05
	16 T 2,5 60	2	60	47.25	-	34	10	16	8	-	0.07

T 5 (PASO 5 mm) PARA CORREAS DE LONGITUD 10 mm

MATERIAL	CODIGO	TIPO	DIENTES	De	Df	Dm	F	L	d	Nº GUIA	Kg.
ALUMINIO UNI 9006 - T6	21 T 5 10	2F	10	15.05	19.5	8	15	21	-	200	0.01
	21 T 5 12	2F	12	18.25	23.0	10	15	21	-	201	0.01
	21 T 5 14	2F	14	21.45	25.0	13	15	21	-	203	0.02
	21 T 5 15	2F	15	23.05	28.0	16	15	21	-	204	0.02
	21 T 5 16	2F	16	24.60	32.0	18	15	21	-	205	0.03
	21 T 5 18	2F	18	27.80	32.0	20	15	21	-	205	0.03
	21 T 5 19	2F	19	29.40	36.0	22	15	21	-	206	0.04
	21 T 5 20	2F	20	31.00	36.0	23	15	21	-	206	0.04
	21 T 5 22	2F	22	34.25	38.0	24	15	21	-	207	0.05
	21 T 5 24	2F	24	37.40	42.0	26	15	21	-	208	0.06
	21 T 5 25	2F	25	38.95	44.0	26	15	21	-	209	0.06
	21 T 5 26	2F	26	40.60	44.0	26	15	21	-	209	0.06
	21 T 5 27	2F	27	42.20	48.0	30	15	21	8	210	0.07
	21 T 5 28	2F	28	43.75	48.0	32	15	21	8	210	0.07
	21 T 5 30	2F	30	46.95	51.0	34	15	21	8	211	0.07
	21 T 5 32	2F	32	50.10	54.0	38	15	21	8	212	0.09
	21 T 5 36	2F	36	56.45	63.0	38	15	21	8	215	0.11
	21 T 5 40	2F	40	62.85	66.0	40	15	21	8	216	0.14
	21 T 5 42	2F	42	66.00	71.0	40	15	21	8	217	0.18
	21 T 5 44	2F	44	69.20	-	45	15	21	8	-	0.18
	21 T 5 48	2	48	75.55	-	50	15	21	8	-	0.20
	21 T 5 60	2	60	94.65	-	65	15	21	8	-	0.31

POLEAS DENTADAS PASO METRICO "T"
METRIC PULLEYS "T"




T 5 (PASO 5 mm) PARA CORREAS DE LONGITUD 16 mm

MATERIAL	CODIGO	TIPO	DIENTES	De	Df	Dm	F	L	d	Nº GUIA	Kg.
ALUMINIO UNI 9006 – T6	27 T 5 10	2F	10	15.05	19.5	8	21	27	-	200	0.02
	27 T 5 12	2F	12	18.25	23.0	10	21	27	-	201	0.02
	27 T 5 14	2F	14	21.45	25.0	13	21	27	-	203	0.03
	27 T 5 15	2F	15	23.05	28.0	16	21	27	-	204	0.03
	27 T 5 16	2F	16	24.60	32.0	18	21	27	-	205	0.04
	27 T 5 18	2F	18	27.80	32.0	20	21	27	-	205	0.04
	27 T 5 19	2F	19	29.40	36.0	22	21	27	-	206	0.05
	27 T 5 20	2F	20	31.00	36.0	23	21	27	-	206	0.06
	27 T 5 22	2F	22	34.25	38.0	24	21	27	-	207	0.06
	27 T 5 24	2F	24	37.40	42.0	26	21	27	-	208	0.08
	27 T 5 25	2F	25	38.95	44.0	26	21	27	-	209	0.08
	27 T 5 26	2F	26	40.60	44.0	26	21	27	-	209	0.09
	27 T 5 27	2F	27	42.20	48.0	30	21	27	8	210	0.09
	27 T 5 28	2F	28	43.75	48.0	32	21	27	8	210	0.09
	27 T 5 30	2F	30	46.95	51.0	34	21	27	8	211	0.10
	27 T 5 32	2F	32	50.10	54.0	38	21	27	8	212	0.12
	27 T 5 36	2F	36	56.45	63.0	38	21	27	8	215	0.16
	27 T 5 40	2F	40	62.85	66.0	40	21	27	8	216	0.19
	27 T 5 42	2F	42	66.00	71.0	40	21	27	8	217	0.20
	27 T 5 44	2	44	69.20	-	45	21	27	8	-	0.23
27 T 5 48	2	48	75.55	-	50	21	27	8	-	0.28	
27 T 5 60	2	60	94.65	-	65	21	27	8	-	0.43	

T 5 (PASO 5 mm) PARA CORREAS DE LONGITUD 25 mm

MATERIAL	CODIGO	TIPO	DIENTES	De	Df	Dm	F	L	d	Nº GUIA	Kg.
ALUMINIO UNI 9006 – T6	36 T 5 10	2F	10	15.05	19.5	8	30	36	-	200	0.02
	36 T 5 12	2F	12	18.25	23.0	10	30	36	-	201	0.03
	36 T 5 14	2F	14	21.45	25.0	13	30	36	-	203	0.04
	36 T 5 15	2F	15	23.05	28.0	16	30	36	-	204	0.04
	36 T 5 16	2F	16	24.60	32.0	18	30	36	-	205	0.05
	36 T 5 18	2F	18	27.80	32.0	20	30	36	-	205	0.06
	36 T 5 19	2F	19	29.40	36.0	22	30	36	-	206	0.07
	36 T 5 20	2F	20	31.00	36.0	23	30	36	-	206	0.08
	36 T 5 22	2F	22	34.25	38.0	24	30	36	-	207	0.08
	36 T 5 24	2F	24	37.40	42.0	26	30	36	-	208	0.11
	36 T 5 25	2F	25	38.95	44.0	26	30	36	-	209	0.12
	36 T 5 26	2F	26	40.60	44.0	26	30	36	-	209	0.12
	36 T 5 27	2F	27	42.20	48.0	30	30	36	8	210	0.13
	36 T 5 28	2F	28	43.75	48.0	32	30	36	8	210	0.14
	36 T 5 30	2F	30	46.95	51.0	34	30	36	8	211	0.15
	36 T 5 32	2F	32	50.10	54.0	38	30	36	8	212	0.18
	36 T 5 36	2F	36	56.45	63.0	38	30	36	8	215	0.23
	36 T 5 40	2F	40	62.85	66.0	40	30	36	8	216	0.28
	36 T 5 42	2F	42	66.00	71.0	40	30	36	8	217	0.29
	36 T 5 44	2	44	69.20	-	45	30	36	8	-	0.31
36 T 5 48	2	48	75.55	-	50	30	36	8	-	0.40	
36 T 5 60	2	60	94.65	-	65	30	36	8	-	0.61	

POLEAS DENTADAS PASO METRICO "T"
METRIC PULLEYS "T"




T 10 (PASO 10 mm) PARA CORREAS DE LONGITUD 16 mm

MATERIAL	CODIGO	TIPO	DIENTES	De	Df	Dm	F	L	d	Nº GUIA	Kg.
ALUMINIO UNI 9006 - T6	31 T 10 12	2F	12	36.35	42	28	21	31	6	208	0.08
	31 T 10 14	2F	14	42.70	48	32	21	31	8	210	0.10
	31 T 10 15	2F	15	45.90	51	32	21	31	8	211	0.12
	31 T 10 16	2F	16	49.10	54	35	21	31	8	212	0.13
	31 T 10 18	2F	18	55.45	60	40	21	31	8	214	0.17
	31 T 10 19	2F	19	58.65	66	44	21	31	8	216	0.18
	31 T 10 20	2F	20	61.80	66	46	21	31	8	216	0.21
	31 T 10 22	2F	22	68.20	75	52	21	31	8	218	0.25
	31 T 10 24	2F	24	74.55	83	58	21	31	8	219	0.29
	31 T 10 25	2F	25	77.75	83	60	21	31	8	219	0.31
	31 T 10 26	2F	26	80.90	87	60	21	31	8	220	0.36
	31 T 10 27	2F	27	84.10	91	60	21	31	8	221	0.37
	31 T 10 28	2F	28	87.25	93	60	21	31	8	222	0.40
	31 T 10 30	2F	30	93.65	97	60	21	31	8	223	0.44
	31 T 10 32	2F	32	100.00	106	65	21	31	10	224	0.49
	31 T 10 36	2F	36	112.75	119	70	21	31	10	225	0.62
	31 T 10 40	2F	40	125.45	131	80	21	31	10	226	0.77
	31 T 10 44	2	44	138.20	-	88	21	31	10	-	1.00
	31 T 10 48	2	48	150.95	-	95	21	31	16	-	1.10
	31 T 10 60	2	60	189.15	-	110	21	31	16	-	1.70

T 10 (PASO 10 mm) PARA CORREAS DE LONGITUD 25 mm

MATERIAL	CODIGO	TIPO	DIENTES	De	Df	Dm	F	L	d	Nº GUIA	Kg.
ALUMINIO UNI 9006 - T6	40 T 10 12	2F	12	36.35	42	28	30	40	6	208	0.10
	40 T 10 14	2F	14	42.70	48	32	30	40	8	210	0.13
	40 T 10 15	2F	15	45.90	51	32	30	40	8	211	0.15
	40 T 10 16	2F	16	49.10	54	35	30	40	8	212	0.18
	40 T 10 18	2F	18	55.45	60	40	30	40	8	214	0.22
	40 T 10 19	2F	19	58.65	66	44	30	40	8	216	0.25
	40 T 10 20	2F	20	61.80	66	46	30	40	8	216	0.28
	40 T 10 22	2F	22	68.20	75	52	30	40	8	218	0.34
	40 T 10 24	2F	24	74.55	83	58	30	40	8	219	0.39
	40 T 10 25	2F	25	77.75	83	60	30	40	8	219	0.42
	40 T 10 26	2F	26	80.90	87	60	30	40	8	220	0.48
	40 T 10 27	2F	27	84.10	91	60	30	40	8	221	0.54
	40 T 10 28	2F	28	87.25	93	60	30	40	8	222	0.55
	40 T 10 30	2F	30	93.65	97	60	30	40	8	223	0.64
	40 T 10 32	2F	32	100.00	106	65	30	40	10	224	0.69
	40 T 10 36	2F	36	112.75	119	70	30	40	10	225	0.87
	40 T 10 40	2F	40	125.45	131	80	30	40	10	226	1.07
	40 T 10 44	2	44	138.20	-	88	30	40	10	-	4.35
	40 T 10 48	2	48	150.95	-	95	30	40	16	-	1.52
	40 T 10 60	2	60	189.15	-	110	30	40	16	-	2.34

POLEAS DENTADAS PASO METRICO "T"
METRIC PULLEYS "T"



T 10 (PASO 10 mm) PARA CORREAS DE LONGITUD 32 mm

MATERIAL	CODIGO	TIPO	DIENTES	De	Df	Dm	F	L	d	Nº GUIA	Kg.
ALUMINIO UNI 9006 – T6	47 T 10 18	2F	18	55.45	60	40	37	47	10	214	0.25
	47 T 10 19	2F	19	58.65	66	44	37	47	10	216	0.29
	47 T 10 20	2F	20	61.80	66	46	37	47	12	216	0.32
	47 T 10 22	2F	22	68.20	75	52	37	47	12	218	0.39
	47 T 10 24	2F	24	74.55	83	58	37	47	12	219	0.47
	47 T 10 25	2F	25	77.75	83	60	37	47	12	219	0.53
	47 T 10 26	2F	26	80.90	87	60	37	47	12	220	0.56
	47 T 10 27	2F	27	84.10	91	60	37	47	12	221	0.60
	47 T 10 28	2F	28	87.25	93	60	37	47	12	222	0.64
	47 T 10 30	2F	30	93.65	97	60	37	47	12	223	0.74
	47 T 10 32	2F	32	100.00	106	65	37	47	12	224	0.84
	47 T 10 36	2F	36	112.75	119	70	37	47	16	225	1.06
	47 T 10 40	2F	40	125.45	131	80	37	47	16	226	1.32
	47 T 10 44	2	44	138.20	-	88	37	47	16	-	1.61
	47 T 10 48	2	48	150.95	-	95	37	47	16	-	1.93
	47 T 10 60	2	60	189.10	-	110	37	47	16	-	3.00

T 10 (PASO 10 mm) PARA CORREAS DE LONGITUD 50 mm

MATERIAL	CODIGO	TIPO	DIENTES	De	Df	Dm	F	L	d	Nº GUIA	Kg.
ALUMINIO UNI 9006 – T6	66 T 10 18	2F	18	55.45	60	40	56	66	10	214	0.42
	66 T 10 19	2F	19	58.65	66	44	56	66	10	216	0.47
	66 T 10 20	2F	20	61.80	66	46	56	66	12	216	0.52
	66 T 10 22	2F	22	68.20	75	52	56	66	12	218	0.57
	66 T 10 24	2F	24	74.55	83	58	56	66	12	219	0.74
	66 T 10 25	2F	25	77.75	83	60	56	66	12	219	0.77
	66 T 10 26	2F	26	80.90	87	60	56	66	12	220	0.82
	66 T 10 27	2F	27	84.10	91	60	56	66	12	221	0.95
	66 T 10 28	2F	28	87.25	93	60	56	66	12	222	0.96
	66 T 10 30	2F	30	93.65	97	60	56	66	12	223	1.17
	66 T 10 32	2F	32	100.00	106	65	56	66	12	224	1.30
	66 T 10 36	2F	36	112.75	119	70	56	66	16	225	1.64
	66 T 10 40	2F	40	125.45	131	80	56	66	16	226	2.00
	66 T 10 44	2	44	138.20	-	88	56	66	16	-	2.36
	66 T 10 48	2	48	150.95	-	95	56	66	16	-	2.83
	66 T 10 60	2	60	189.10	-	110	56	66	16	-	4.37